天籁策划：18924776799

www.borui-hardware.com

汕头市博锐五金制品有限公司

销售热线：0754-88366573 13825894589
技术咨询：13825894646
传　　真：0754-88366573
邮　　箱：1772261988@qq.com
营销总部：广东省汕头市龙湖区天山路65号蓬勃大厦A607
生产基地：广东省揭阳市榕城区仙梅民营科技园紫晖工业园区

SHANTOUCITY BORUI HARDWARE PRODUCTS CO.,LTD

Sales Hotline: 0754-88366573 13825894589
Technician Consulting: 13825894646
Fax: 0754-88366573
E-mail: 1772261988@qq.com
Headquarter: 607 Pengbo Building, No. 65 Tianshan Road,Longhu District, Shantou, Guangdong
Factory: Zihui Industrial Park, Xianmei Private-owned Technology Park, Rongcheng District, Jieyang, Guangdong

图文参数仅供参考，如有修改以实样为准。

The pictures and parameters are for reference only,subjected to samples if any change.

博锐建筑五金

BORUI CONSTRUCTION HARDWARE

品质引领未来 QUALITY LEAD THE FUTURE

汕头市博锐五金制品有限公司

Shantou Borui Hardware Products CO.,LTD

Introduction Company 公司簡介

專業 · 遠見 · 締造無限未來...

汕头市博锐五金制品有限公司是专业从事铝塑门窗、幕墙五金制品研发、销售及服务的创新企业。公司拥有先进门窗配件生产设备多台及多条全自动生产线。产品齐全（有两点锁，多点锁，内开内倒，执手，传动器，角部铰链，合页，摩擦铰链（四连杆），风撑（二连杆），伸缩撑，滑轮，月牙锁等塑钢、断桥、幕墙配件），日生产量能满足广大客户的需求。

博锐公司背靠不锈钢材料集散地，良好的区域产业链及氛围，让博锐人积累、并拥有了一套成熟的不锈钢生产工艺。在此基础上博锐人自主研发了多款不锈钢材质产品，使产品涵盖范围更加广泛，更加具有差异化的竞争优势。

博锐公司的每一件产品都经过人性化的研究，从图纸设计到模具雕刻，从单品出样到批量出库，每个产品都经过严格的检查程序。正是因为我们的一丝不苟，我们的生产工艺保持国内先进水平，我们的产品经过国家相关质量监督检测机构检测合格，并配发检测报告，且各项指标均优于同类产品。

博锐公司不仅自主生产，也为国内外客户提供OEM贴牌加工业务；产品不仅畅销国内市场，更远销欧美、中东、东南亚等十几个国家地区。

博锐公司热忱欢迎各界朋友同仁前莅临指导咨询洽谈，强强联合，共创辉煌！

Shantou Borui Hardware Products Co., Ltd is an innovative enterprise specializing in R&D, sales and service of hardware for aluminum doors and windows, curtain wall.

The company has advanced production equipments and a couple of automatic production lines for doors and windows accessories including two-point lock,multi-point lock,pulley, hinge, friction hinge , Crescent lock and other steel, broken bridge, curtain wall accessoriesto meet the needs of our customers.

Borui Hardware is backed by stainless steel material distribution center. The good regional industrial chain and atmosphere let Borui people accumulate a mature stainless steel production processes. On the basis of this, the companyhas developed a variety of stainless steel products, so that the product covers awider range and more differentiated competitive advantage.

Every item of the Borui products have been from user friendly research, from drawing design to mold carving, from a single product to the bulk of the export, each product has to undergo a rigorous inspection procedures. It is precisely because of our meticulous,our production process to maintain the domestic advanced level. Passing the relevant state qualitysupervision and inspection agencies test reports, we are proud that they are better than similar products.

Borui produces not only our own branded products, but also works for domestic and foreign customers with OEM processing business;our products are not only selling the domestic market, but also exported to more than 10 countries and regions like Europe, the United States, the Middle East, Southeast Asia.

Borui warmly welcome friends from all over the world to discuss and consultate for strong combination and creating brilliant!

目录 Contents

C槽内平开下悬系列 C Groove Tilt And Turn Series

U槽内平开下悬系列 U Groove Tilt And Turn Series

欧/非标平开 幕墙上悬系列 Euro / Non Standard Side Hung, Curtain Wall Top Hung Series

折叠式开窗器系列 Foldable Window Actuator

中悬窗系列 Middle Hung Series

铝合金/断桥合页系列 Aluminum / Bridge Cut-off Hinge Series

铝合金七字执手系列 Aluminum Cockspur Handle Series

纱窗执手系列 Sash Window Handle Series

推拉/平开门锁系列 Sliding / Side-hung Door Lock Series

通风器系列 Ventilator Series

电动开窗器系列 Electric Window Actuator

百叶窗系列 Shutter Series

提拉器系列 Double Hung Window Accessories

隐形铰链系列 Invisible Hinge Series

插销系列 Window Latch Series

摩擦铰链/风撑系列 Friction Hinge & Arm Series

传动执手系列 Espag Handle Series

折叠门系列 Folding Door Accessories

塑钢合页系列 PVC Door And Window Hinge Series

配件系列 Other Accessories

传动器系列 Espagnolette Series

幕墙配件系列 Curtain Wall Accessories

月牙锁系列 Crescent Lock Series

塑钢滑轮系列 PVC Door And Window Roller Series

钩锁系列 Hook Lock Series

铝合金/断桥滑轮系列 Aluminum Bridge Cut-off Series

BR. 101



序号 No.	配件名称 Part name	配件编号 Part no.	数 量 Quantity
01	内开执手 Swing-in handle	选用（见大把执手系列） Option (refer to big handle series)	1
02	调节锁座，助升快 Regulated lock bracket and rise-helping block	BR.001	各1 1 each
03	防脱器 Anti-shedmachine	BR.001	1
04	悬转支撑 Suspension support	BR.002	1
05	锁扣 Buckle	BR.003	2
06	防误器 Error proofing machine	BR.004	1
07	中连接件 Middle connector	BR.005	1
08	转向器 Redirector	BR.006	1
09	斜拉杆（扇宽小于600mm） Diagonal member(sash width shall below 600mm)	BR.007	1
10	上合页 Upper hinge	BR.008	1
11	下合页压板 Lower hinge clamp	BR.009	1
12	下合页 Lower hinge	BR.010	1

*可调节窗扇左右水平
*可调节窗扇的密封压力
*可调节窗扇掉角现象
*Progressive adjustment of the level height
*Progressive adjustment of the seals.
*Progressive adjustment of the sash slip

*可调节窗扇氣密性，水密性和窗锁紧度。
*Progressive adjustment of the air-tightness,water-tightness and lock-tightness of the window.

*下合页可调节窗扇高度
*The height of the sash can be adjusted by adjusting the Bottom Hinge.

*下合页可调节窗扇左右水平
* The level height of the sash can be adjusted by adjusting the Bottom Hinge

BR. 110



序号	配件名称	数量
1	上转向角	1
2	下转向角	1
3A	主传动杆7.5mm	1
3B	主传动杆14.5mm	1
4E	中间锁转向角（可选件）	1
4F	中间锁延长杆（可选件）	1-2
5	导向杆	1
6	斜拉杆（L/R）	1
7	上铰链座	1
8	下铰链座	1
9	下铰链叶	1
9a	下铰链（L/R可选件）	1
10	上铰链轴	1
11	防误器（可选）	1
12	防误摆起块（可选）	1
13	锁扣	2-5
14	旋转锁座	1
15	执手（可选各式执手）	1

BR. 102



博锐建筑五金
BORUI CONSTRUCTION HARDWARE
QUALITY LEAD THE FUTURE
欧/非标平开 幕墙上悬系列 Euro / Non Standard Side Hung, Curtain Wall Top Hung Series

BR. 103



BR. 104



博锐建筑五金
BORUI CONSTRUCTION HARDWARE
QUALITY LEAD THE FUTURE
欧/非标平开 幕墙上悬系列 Euro / Non Standard Side Hung, Curtain Wall Top Hung Series
SHANTOU BORUI HARDWARE PRODUCTS CO.,LTD

BR. 105



BR. 106





A	B	R	L
172	182	125	300-1200
300	246	255	







BR. 107



BR. 1031(L/R)



BR. 1032(L/R)



BR. 1033



BR. 1034(L/R)



BR. 1035



博锐建筑五金
BORUI CONSTRUCTION HARDWARE
QUALITY LEAD THE FUTURE
欧/非标平开 幕墙上悬系列 Euro / Non Standard Side Hung, Curtain Wall Top Hung Series

BR. 1021



BR. 1022



BR. 1023



BR. 1024



BR. 1025(L/R)



BR. 1015



BR. 1038



BR. 1037



BR. 1016



BR. 1017



博锐建筑五金
BORUI CONSTRUCTION HARDWARE
QUALITY LEAD THE FUTURE
欧/非标平开 幕墙上悬系列 Euro / Non Standard Side Hung, Curtain Wall Top Hung Series

BR. 1011



BR. 1012



BR. 1036



BR. 1013



BR. 1014





BR. 1026

BR. 1027



博锐建筑五金
BORUI CONSTRUCTION HARDWARE
QUALITY LEAD THE FUTURE
欧/非标平开 幕墙上悬系列 Euro / Non Standard Side Hung, Curtain Wall Top Hung Series

LT01

LT02

LT03

LT04

LT05



LT06

LT07

LT08





BR. 901




BR. 902




BR. 903

BR. 904





博锐建筑五金
BORUI CONSTRUCTION HARDWARE
QUALITY LEAD THE FUTURE
铝合金/断桥合页系列 Aluminum / Bridge Cut-off Hinge Series




BR. 905




BR. 906




BR. 907

BR. 908




BR. 909



BR. 910



BR. 911



BR. 912



BR. 913





BR. 914



博锐建筑五金
BORUI CONSTRUCTION HARDWARE
QUALITY LEAD THE FUTURE
铝合金/断桥合页系列 Aluminum / Bridge Cut-off Hinge Series

BR. 6056



BR. 6057



BR. 915



BR. 916





BR. 917



BR. 918



BR. 919

BR. 920





BR. 301



BR. 302



BR. 303

BR. 304





BR. 305



BR. 306



BR. 307

BR. 308



博锐建筑五金
BORUI CONSTRUCTION HARDWARE
QUALITY LEAD THE FUTURE
铝合金七字执手系列 Aluminum Cockspur Handle Series



BR. 304B



BR. 309





BR. 310

BR. 311





BR. 312



BR. 313

BR. 314



博锐建筑五金
BORUI CONSTRUCTION HARDWARE
QUALITY LEAD THE FUTURE
纱窗执手系列 Sash Window Handle Series





BR. 315



BR. 316



BR. 317

BR. 318



BR. 601





安装说明
Installation Manual







博锐建筑五金
BORUI CONSTRUCTION HARDWARE
QUALITY LEAD THE FUTURE
推拉/平开门锁系列 Sliding / Side-hung Door Lock Series

BR. 602







BR. 603

③拉手

②锁座

①大拉手带钩

BR. 603B

③拉手

②锁座

①大拉手带钩

BR. 604

①大拉手

②大拉手带钩

③拉手 ③拉手

博锐建筑五金
BORUI CONSTRUCTION HARDWARE
QUALITY LEAD THE FUTURE
推拉/平开门锁系列 Sliding / Side-hung Door Lock Series



BR. 606









BR. 608



安装说明
Installation Manual



博锐建筑五金
BORUI CONSTRUCTION HARDWARE
QUALITY LEAD THE FUTURE
推拉/平开门锁系列 Sliding / Side-hung Door Lock Series

BR. 608B



安装说明
Installation Manual



BR 609



安装说明
Installation Manual



博锐建筑五金
BORUI CONSTRUCTION HARDWARE
QUALITY LEAD THE FUTURE
推拉/平开门锁系列 Sliding / Side-hung Door Lock Series

BR. 609B



安装说明
Installation Manual



BR. 610



BR. 610B





博锐建筑五金
BORUI CONSTRUCTION HARDWARE
QUALITY LEAD THE FUTURE
推拉/平开门锁系列 Sliding / Side-hung Door Lock Series

BR. 611





BR. 612





BR. 613

BR. 613B



博锐建筑五金
BORUI CONSTRUCTION HARDWARE
QUALITY LEAD THE FUTURE
推拉/平开门锁系列 Sliding / Side-hung Door Lock Series

BR. 614



BR. 614B



BR. 615







产品技术参数/ PRODUCT TECHNICAL DATA			
产品高度 Item Height	2帕压差下1米通风量 1m ventilation value under 2 Pa pressure	通风条件下对应隔应量 The amount of leakage corresponding to	关闭条件下对应隔音量 Value Sound Insulation When Closed
95mm	50m³/m/h	20.5dB (A)	29dB(A)
水密性能 Watertight Performance	气密性能 Airtight Performance	抗风压性能 Wind pressure resistance	保温性能 Insulation Performance
500pa	1.22m³/ (m.h)	1600pa	2.9w/m².k
适用玻璃厚度 Applicable Glass Thickness	玻璃减少 Glass Decrease	通风面积 Ventilation area	颜色 Color
16-24mm	80mm	15000mm²/m	根据色板配色 Matching Color According To Color Plate

博锐建筑五金
BORUI CONSTRUCTION HARDWARE
QUALITY LEAD THE FUTURE
通风器系列 Ventilator Series

BR. 616









产品技术参数/ PRODUCT TECHNICAL DATA			
产品高度 Item Height	2帕压差下1米通风量 1m ventilation value under 2 Pa pressure	通风条件下对应隔应量 The amount of leakage corresponding to	关闭条件下对应隔音量 Value Sound Insulation When Closed
105mm	50m³/m/h	20.5dB (A)	29dB(A)
水密性能 Watertight Performance	气密性能 Airtight Performance	抗风压性能 Wind pressure resistance	保温性能 Insulation Performance
500pa	1.22m³/ (m.h)	1600pa	3.2w/m².k
适用玻璃厚度 Applicable Glass Thickness	玻璃减少 Glass Decrease	通风面积 Ventilation area	颜色 Color
16-24mm	90mm	15000mm²/m	根据色板配色 Matching Color According To Color Plate

BR. 617







规格参数 Specifications	单位 Units	技术参数 Technical Data
工作电压 Operating Voltage	V	Dc24±10%
推力/拉力 Push And Pull Value	N	600-1200
最大工作电流 Max Voltage	A	1.1
行程距离 Operating Distance	mm	150～1200
推动速度 Pushing Speed	mm/sec	6
防护等级 Proof Class	IP	65

博锐建筑五金
BORUI CONSTRUCTION HARDWARE
QUALITY LEAD THE FUTURE
电动开窗器系列 Electric Window Actuator

BR. 618







规格参数 Specifications	单位 Units	技术参数 Technical Data
工作电压 Operating Voltage	V	Dc24±10%
推力/拉力 Push And Pull Value	N	≥300
最大工作电流 Max Voltage	A	1.0
行程距离 Operating Distance	mm	300～800
推动速度 Pushing Speed	mm/sec	8
防护等级 Proof Class	IP	32

BR. 619



控制/Control	叶数/Number Of Pieces	长度/Length
单/Single	2	380
单/Single	3	469
单/Single	4	558
单/Single	5	647
单/Single	8	736

控制/Control	叶数/Number Of Pieces	长度/Length
双/Double	9	825
双/Double	10	914
双/Double	11	1003
双/Double	12	1092

BR. 619B

控制/Control	叶数/Number Of Pieces	长度/Length
单/Single	4	380
单/Single	5	469
单/Single	6	558
单/Single	7	647
单/Single	8	736

控制/Control	叶数/Number Of Pieces	长度/Length
双/Double	9	825
双/Double	10	914
双/Double	11	1003
双/Double	12	1092
双/Double	13	1181
双/Double	14	1270
双/Double	15	1358
双/Double	16	1448

BR. 620

欧式配件



美式配件







图 一



图 二



图 三



A	250	275	300	325	350	375	400	425
	450	475	700	525	550	575	600	625
	650	675	500	725	750	775	800	825
	850	875	900	925	950	975		
B	14							
C	5							



BR. 6012



BR. 6013



BR. 6014



BR. 6015



BR. 6016

BR. 6017







BR. 6021



BR. 6022



BR. 6023



BR. 6024

BR. 6025



BR. 6026



博锐建筑五金
BORUI CONSTRUCTION HARDWARE
QUALITY LEAD THE FUTURE
推拉/平开门锁系列 Sliding / Side-hung Door Lock Series



BR. 6027



BR. 6028



BR. 6029



BR. 6030

BR. 6031



BR. 6032





BR. 6033



BR. 6034



BR. 6035

BR. 6036



BR. 888





BR. 888B





BR. 999







BR. 999A







博锐建筑五金
BORUI CONSTRUCTION HARDWARE
QUALITY LEAD THE FUTURE
隐形铰链系列 Invisible Hinge Series

BR. 999B





BR. 999C







BR. 401



BR. 402



BR. 403

BR. 404



博锐建筑五金
BORUI CONSTRUCTION HARDWARE
QUALITY LEAD THE FUTURE
插销系列 Window Latch Series



BR. 405



BR. 406

BR. 407





BR. 201



BR. 201B

BR. 202



博锐建筑五金
BORUI CONSTRUCTION HARDWARE
QUALITY LEAD THE FUTURE
传动执手系列 Espag Handle Series



BR. 203



BR. 203B

BR. 204





BR. 204B



BR. 204C

BR. 205



博锐建筑五金
BORUI CONSTRUCTION HARDWARE
QUALITY LEAD THE FUTURE
传动执手系列 Espag Handle Series



BR. 206



BR. 221

BR. 222







BR. 207



BR. 208



BR. 209

BR. 210







BR. 851



BR. 852

BR. 856







BR. 853



BR. 854

BR. 855(90)





BR. 810



BR. 811

BR. 812



BR. 813

BR. 814



BR. 501



BR. 502



BR. 503

BR. 504



博锐建筑五金
BORUI CONSTRUCTION HARDWARE
QUALITY LEAD THE FUTURE
月牙锁系列 Crescent Lock Series



BR. 505



BR. 506



BR. 507

BR. 508





BR. 508B



BR. 509



BR. 510

BR. 5868



博锐建筑五金
BORUI CONSTRUCTION HARDWARE
QUALITY LEAD THE FUTURE
月牙锁系列 Crescent Lock Series



BR. 508C



BR. 511



BR. 512

BR. 513





BR. 514



BR. 516





BR. 517

BR. 519



博锐建筑五金
BORUI CONSTRUCTION HARDWARE
QUALITY LEAD THE FUTURE
月牙锁系列 Crescent Lock Series



BR. 518



BR. 518B



BR. 507B

BR. 507C




BR. 01
BR. 02
BR. 03
BR. 04
BR. 05
BR. 06
BR. 07
BR. 08
BR. 09
BR. 10
BR. 11
BR. 12
BR. 13
BR. 14
BR. 15

BR. 80(77) 槽轮
BR. 80(77) 平轮
BR. 88 槽轮
BR. 88 平轮
BR. 95 槽轮
BR. 95 平轮
BR. 80(77) 自调双槽轮
BR. 80(77) 自调双平轮
BR. 88 自调双槽轮
BR. 88 自调双平轮

BR. 95 自调双槽轮



BR. 95 自调双平轮



BR. 无底框单轮



BR. 无底框双轮







BR. 轴承双槽轮





BR. 701



BR. 703



BR. 704

BR. 705





BR. 706



BR. 707



BR. 708

BR. 709



博锐建筑五金
BORUI CONSTRUCTION HARDWARE
QUALITY LEAD THE FUTURE
钩锁系列 Hook Lock Series



BR. 710



BR. 711



BR. 712

BR. 713







HL. 01



HL. 02



HL. 03



HL. 04

HL. 05



博锐建筑五金
BORUI CONSTRUCTION HARDWARE
QUALITY LEAD THE FUTURE
铝合金/断桥滑轮系列 Aluminum Bridge Cut-off Series



HL. 06



HL. 07



HL. 08



HL. 09

HL. 10





DQ.01



DQ.02





DQ.03



DQ.04

DQ.05



- 采用优质不锈钢(SUS304)材料制造防腐蚀性强。
- 不锈钢-尼龙组合式滑块不仅强度高，滑动顺畅，而且耐磨。
- 适用于20mm欧标槽口型材平开窗。
- 上悬窗应配合风撑/伸缩撑使用。
- 有多种尺寸规格可供选择。

Manufacture from high grade stainless steel(SS304)for strong corruption resistance.
Stainless steel-nylon composite dual-pivot sliding shoes of strength,smooth sliding anddurability.
Suitable for euro side hung windows of 20mm track width.
Friction arms/support arms are recommendedfor top hung windows.
Various types and sizes available.

- 不锈钢风撑（两连杆）是一种能使窗扇在最大开启角度内任意定位的一种装置。
- 具有抗风压定位支撑等作用。
- 本系列适用于欧标20mm槽平开、上悬、内平开下悬窗。

Stainless steel friction arms(two-bar hinges) are a device to make the window leaf stop at any point within the largest opening angel.
Used for wind pressure resistance,locating and supporting etc.
Suitable for euro side hung/top hung/tilt & turn windows of 20mm track width.

产品技术参数 PRODUCT TECHNICAL DATA

序号 Code	型号 Modle Number	窗类型 Type of window	窗重量 Max.vent weight	窗最高 Max.vent height	窗最宽 Max.vent width	启开角度 Opening Angle
01	HC413525 10”	平开	8kg	1100mm	450mm	85±3°
02	HC413525 12”	平开	10kg	1200mm	550mm	85±3°
03	HC413530 10”	平开	10kg	1100mm	450mm	85±3°
04	HC413530 12”	平开	14kg	1200mm	600mm	85±3°
05	HC413525 14”	平开	16kg	1200mm	650mm	85±3°
06	HC413525 16”	平开	18kg	1200mm	650mm	85±3°
07	HC413530 14”	平开	19kg	1200mm	650mm	85±3°
08	HC413530 16”	平开	23kg	1300mm	700mm	85±3°

以上参数仅供参考，具体配置请咨询博锐技术部。The above parameters are for reference only,please contact our technician dept.

HC418系列

- 采用优质不锈钢(SUS304)材料制造防腐蚀性强。
- 不锈钢-尼龙组合式滑块不仅强度高，滑动顺畅，而且耐磨。
- 18mm槽系列为塑钢窗常用产品，适用于塑钢平开窗。
- 上悬窗应配合风撑/伸缩撑使用。
- 有多种尺寸规格可供选择。

Manufacture from high grade stainless steel(SS304) for strong corruption resistance.
Stainless steel-nylon composite dual-pivot sliding shoes of strength, smooth sliding and durability.
18mm track width series are general used for upvc side hung windows.
Friction arms/support arms are recommended for top hung windows.
Various types and sizes available.

FC218系列

- 不锈钢风撑（两连杆）是一种能使窗扇在最大开启角度内任意定位的一种装置。
- 具有抗风压定位支撑等作用。
- 本系列适用于塑钢、铝合金平开及上悬窗。

Stainless steel friction arms(two-bar hinges) are a device to make the window leaf stop at any point within the largest opening angel.
Used for wind pressure resistance, locating and supporting etc.
Suitable for upvc/aluminium side hung & top hung windows.

产品技术参数 PRODUCT TECHNICAL DATA

序号 Code	型号 Modle Number	窗类型 Type of window	窗重量 Max.vent weight	窗最高 Max.vent height	窗最宽 Max.vent width	启开角度 Opening Angle
01	HC41825 10”	平开	10kg	1100mm	450mm	85±3°
02	HC41825 12”	平开	12kg	1200mm	550mm	85±3°
03	HC41830 10”	平开	12kg	1100mm	450mm	85±3°
04	HC41830 12”	平开	16kg	1200mm	600mm	85±3°
05	HC41825 14”	平开	18kg	1200mm	650mm	85±3°
06	HC41825 16”	平开	20kg	1200mm	650mm	85±3°
07	HC41830 14”	平开	21kg	1200mm	650mm	85±3°
08	HC41830 16”	平开	25kg	1300mm	700mm	85±3°

以上参数仅供参考，具体配置请咨询博锐技术部。The above parameters are for reference only,please contact our technician dept.

HC422系列

- 采用优质不锈钢(SUS304)材料制造防腐蚀性强。
- 不锈钢-尼龙组合式滑块不仅强度高，滑动顺畅，而且耐磨。
- 适用于铝合金平开窗。
- 上悬、玻璃幕墙窗应配合风撑/伸缩撑使用。
- 有多种尺寸规格可供选择。

Manufacture from high grade stainless steel(SS304) for strong corruption resistance.
Stainless steel-nylon composite dual-pivot sliding shoes of strength, smooth sliding and durability.
Suitable for aluminium side hung windows.
Friction arms/support arms are recommended for top hung windowsVarious types and sizes available.

FC222系列

- 不锈钢风撑（两连杆）是一种能使窗扇在最大开启角度内任意定位的一种装置。
- 具有抗风压定位支撑等作用。
- 本系列适用于铝合金平开、上悬窗。

Stainless steel friction arms(two-bar hinges) are a device to make the window leaf stop any within the largest opening angel.
Used for wind pressure resistance, locating and supporting etc.
Suitable for aluminium side hung & top hung windows.

产品技术参数 PRODUCT TECHNICAL DATA

序号 Code	型号 Modle Number	窗类型 Type of window	窗重量 Max.vent weight	窗最高 Max.vent height	窗最宽 Max.vent width	启开角度 Opening Angle
01	HC4223018 12”	上悬、平开	32kg	1300mm	650mm	45/85±3°
02	HC4223018 14”	上悬、平开	35kg	1400mm	700mm	45/85±3°
03	HC4223018 16”	上悬、平开	38kg	1500mm	750mm	45/85±3°
04	HC4223018 T 18”	上 悬	40kg	1500mm	800mm	35±3°
05	HC5223018 T 20”	上 悬	50kg	1600mm	800mm	35±3°
06	HC5223018 T 22”	上 悬	52kg	1650mm	800mm	35±3°

以上参数仅供参考，具体配置请咨询博锐技术部。The above parameters are for reference only,please contact our technician dept.

YHC418系列

- 采用优质不锈钢(SUS304)材料制造防腐蚀性强。
- 不锈钢-尼龙组合式滑块不仅强度高，滑动顺畅，而且耐磨。
- 特殊设计能使窗户充分开启，便于清洁与逃生，
- 适用于轻型平开窗。

Manufacture from high grade stainless steel(SS304) for strong corruption resistance.
Stainless steel-nylon composite dual-pivot sliding shoes of strength,smooth sliding and durability.
Special design of full opening for cleaning and emer gency egress.
Suitable for light side hung windows.

HCC418L/R系列

- 采用优质不锈钢(SUS304)材料制造防腐蚀性强。
- 非对称的包角结构，分左右方向，使窗户关闭更加准确可靠，密封性能更好。
- 适用于轻型平开窗。

Manufacture from high grade stainless steel(SS304) for strong corruption resistance.
Handed unique asymmetric metal point system for excellent weather sealing.
Suitable for light side hung windows.

HCC422L/R系列

- 采用优质不锈钢(SUS304)材料制造防腐蚀性强。
- 非对称的包角结构，分左右方向，使窗户关闭更加准确可靠，密封性能更好。
- 适用于铝合金平开窗。

Manufacture from high grade stainless steel(SS304) for strong corruption resistance.
Handed unique asymmetric metal point system for excellent weather sealing.
Suitable for aluminium side hung windows

HC422 T系列

- 悬窗专用摩擦铰链。
- 采用优质不锈钢(SUS304)材料制造防腐蚀性强。
- 根据力学结构原理设计，独特的结构专用于上悬窗能自定位于窗户最大开启角度内的任意位置。
- 有13.5mm 18mm 22mm槽宽。

Friction hinges for top hung windows.
Manufacture from high grade stainless steel(SS304) for strong corruption resistance.
Based on mechanical principle,unique structure for top hung windows Allow the window to stop at any pointwithin the largest opening angel.
13.5mm 18mm 22mm track width.

SC20



产品技术参数 PRODUCT TECHNICAL DATA				
单 档 位				
序号 CODE	型号 MODLE NUMBER	8″	8″	8″
01	A伸展最大长度	285mm	360mm	420mm
02	B收缩长度	200mm	260mm	310mm

以上参数仅供参考，具体配置请咨询博锐技术部。
The above parameters are for reference only,please contact our technician dept.

- 伸缩撑是一种使窗户自动锁定在打开位置的一种装置，起到限位抗风压的作用，且只需要把窗扇往上一提就能关闭。

Support arm is a device used to automatically lock the window at its opening angle with functions of restriction and wind resistance,and closed by lifting the window leaf.

- 本系产品适用于塑钢、铝合金、幕墙、悬窗。有单档位和多档位两种规格。

This range is suitable for upvc/aluminium windows,curtain wall and top hung windows.Available in both single-gear and multi-gear types.

FC10



产品技术参数 PRODUCT TECHNICAL DATA				
序号 CODE	型号 MODLE NUMBER	A	B	窗宽度 WINDOW WIDHT
01	BR.FC10 8″	180	250	不少于365mm
02	BR.FC10 10″	230	300	不少于415mm
03	BR.FC10 12″	280	350	不少于465mm
04	BR.FC10 14″	330	400	不少于515mm

以上参数仅供参考，具体配置请咨询博锐技术部。
The above parameters are for reference only,please contact our technician dept.

- 不锈钢欧槽风撑是一种限置窗扇打开角度的装置。

Stainless steel euro window restrictor is a device used to restrict the opening angle of the window.

- 本产品适用于欧槽平开，内平开下悬窗。高档大方等特点。

This range is suitable for euro side hung and tilt & turn windows with charactors of high grade and generous.

BR. 605



P1

P2



P3

P4

P5



P6



P7



P8



P9

P10



博锐建筑五金
BORUI CONSTRUCTION HARDWARE
QUALITY LEAD THE FUTURE
配件系列 Other Accessories



P11



P12



P13



P14

P15





P16



P17





P18



P19

P20



博锐建筑五金
BORUI CONSTRUCTION HARDWARE
QUALITY LEAD THE FUTURE
配件系列 Other Accessories



P21



P22



P23



P24

P25







A形



B形



C形



A形加长



B形加长

C形加长



我們的未來

OUR FUTURE

以其堅實的足迹、以更廣闊的視野，提升社會價值；

以執着的信念、堅定的步伐，開創輝煌未來！

To Promote Social Value With Strong Footprints And Broad Vision;
To Create Brilliant Future With Persisted Faith And Firm Steps
Let's Be Concentrated To Make It Better And Better!

加盟博銳
一起
實現
夢想